

Completed

Date: 20.06.2023
Place: Bantakal

From
Suresh Rao U
System Analyst
SMVITM, Bantakal.

To
The Principal
SMVITM, Bantakal.

Respected Sir,

I request you to kindly give permission for removing the following not working devices from the stock register of respective departments.

The detailed list is as follows:

LIST OF SCRAP CPUS				
S.No.	Department	System S.No.	Sticker 1	Sticker 2
1	MECH	AWC42GT591A293593LE	SMVIT/ME/CP/133	--
2		AWK42GT540B268178IE	SMVIT/ME/CP/208	--
3		NO STICKER	SMVIT/ME/CP/148	--
4		NO STICKER	SMVIT/ME/CP/130	--
5		UDVD9SI675D0585921	-	--
6		UDVALSI025C2334947	SMVIT/ME/CP/277	--
7		AWC42GT591A293571LE	SMVIT/ME/CP/163	--
8		UDVD9SI675D0585960	SMVIT/ME/CP/045	--
9		AWK42GT540B268167IE	-	--
10		AWK42GT540B268145IE	-	--
11		UXVJSSI089E3392516	-	--
12		AWC42GT591A293591LE	SMVIT/ME/CP/166	--
13		AWC42GT591A293570LE	SMVIT/ME/CP/136	--
14		AWK42GT540B268161IE	SMVIT/ME/CP/241	--
15		AWC42GT591A293638LE	SMVIT/ME/CP/139	--
16		NO STICKER	SMVIT/ME/CP/226	--
17		AWK42GT540B268154IE	SMVIT/ME/CP/205	--
18		AWC42GT591A293613LE	SMVIT/ME/CP/124	--
19		NO STICKER	SMVIT/ME/CP/178	--
20		UXVJSSI089E2828312	SMVIT/ME/CP/316	--
21		AWK42GT540B268208IE	SMVIT/ME/CP/217	--
22		AWC42GT591A293627LE	SMVIT/ME/CP/169	--

[Signature]

Principal
SHR. MADHYA VEDICHA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothame Nagar, Udipi Dist.
BANTAKAL - 574 115

PC - SCRAP Details

S-1

23		AWK42GT540B268155IE	SMVIT/ME/CP/214	--
24		AWK42GT540B268218IE	SMVIT/ME/CP/002	--
25		AWK42GT540B268148IE	SMVIT/ME/CP/232	--
26		UDVD9SI675D0585952	SMVIT/ME/CP/075	--
27		NO STICKER	SMVIT/ME/CP/121	--
28		AWK42GT540B268150IE	--	--
29		UXVJSSI089E2828429	SMVIT/ME/CP/319	--
30		AWK42GT540B268192IE	--	--
31		UXVJSSI089E2828491	SMVIT/ME/CP/337	--
32	MECH	UDVD9SI675D0585938	SMVIT/ME/CP/042	--
33		UXVJSSI089E2828315	SMVIT/ME/CP/325	--
34		UXVJSSI089E2828462	SMVIT/ME/CP/331	--
35		UDVD9SI675D0585939	SMVIT/ME/CP/021	--
36		UDVALSI025C2335097	--	--
37		AWC42GT591A293630LE	SMVIT/ME/CP/145	--
38		AWC42GT591A293568LE	SMVIT/ME/CP/160	--
39		AWC42GT591A293610LE	SMVIT/ME/CP/154	--
40		AWK42GT540B268157IE	--	--
41		AWC42GT591A293598LE	SMVIT/ME/CP/151	
42		AWC42GT591A293596LE	--	SMVITM/CSE/CCP/SYS030
43		AWC42GT591A293629LE	SMVIT/CS/CP/045	--
44		AWK42GT540B268171IE	SMVIT/CS/CP/291	SMVITM/CSE/HAL/SYS017
45		AWC42GT591A293595LE	SMVIT/CS/CP/078	--
46		AWC42GT591A293612LE	SMVIT/CS/CP/027	--
47	CSE	UDVALSI025C2335062	--	Prashanth KP
48		UDVALSI025C1539485	SMVIT/CS/CP/444	CC I
49		AWC42GT540B268194	--	CC I
50		UDVD9SI675D3085706	SMVIT/CS/CP/219	--
51		UDVD9SI675D3085697	SMVIT/CS/CP/183	Madhu Ballal
52		ZEBRONICS	--	DS
53	MAIN OFFICE	AWC42GT591A293637LE	--	TV (DISPLAY) PC
54		UDVALSI025C1539602	SMVIT/GN/CP/005	--
55		AWK42GT540B268139IE	SMVIT/EC/CP/035	--
56	ECE	AWK42GT540B268216IE	SMVIT/EC/CP/017	--
57		UDVALSI025C1539491	SMVIT/EC/CP/089	--
58	CIVIL	UDVD9SI675D3085707	--	STICKER NO-16
59		UDVD9SI675D3085683	--	STICKER NO-24
LIST OF SCRAP NETWORK SWITCHES				
1	CSE CC V LAB	R3JJ1CC000045	SMVIT/CS/EQ/108	DLINK 48 PORT SWITCH
2	MECH	R3KF1C9000036	SMVIT/ME/EC/014	


Principal

SHRI MADHWA VADIPATI
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwathama Nagar, Mysore Dist.
BANTAKAL - 575 015

SCRAP MONITORS

1	MECH	ETLXOW00211907F814303	SMVIT/ME/CP/129	---
2		3CQ80230MX (HP)	-	---
3		MMLQGSS006212800F04201	SMVIT/ME/CP/282	---
4		MMLKRSS00330112A538505	-	---
5		ETLXOW00211907E954303	SMVIT/ME/CP/231	---
6		MMLKRSS033010A41D8506	SMVIT/ME/CP/020	---
7		AOCCHDNA2404336	SMVIT/ME/CP/150	---
8		MMLXNSS00241706D354200	SMVIT/ME/CP/339	---
9		MMLKRSS00330112A148506	SMVIT/ME/CP/111	---
10		ETLXOW00211907F6E4303	SMVIT/ME/CP/135	---
11		MMLKRSS00330112CDB8506	SMVIT/ME/CP/056	---
12		AOCCHDNA2405977	SMVIT/ME/CP/177	---
13		MMLQGSS0062127D40B4201	SMVIT/ME/CP/258	---
14		AOCCHDNA2405748	SMVIT/ME/CP/168	---
15		MMLYOSS0013150CBD68500	-	---
16		AOCCHDNA2406491	SMVIT/ME/CP/204	---
17	CSE	AOCCHDNA2406531	SMVIT/CS/CP/046	SMVITM/CSE/CCP/MON016
18		MMLQGSS0062127F92F4201	SMVIT/CS/CP/455	---
19		AOCCHDNA3601174	SMVIT/CS/CP/013	SMVITM/CSE/CCP/MON005
20		AOCCHDNA2404822	SMVIT/CS/CP/085	SMVITM/CSE/CCP/MON029
21		AOCCHDNA2406399	SMVIT/CS/CP/040	SMVITM/CSE/CCP/MON014
22		AOCCHDNA2405112	SMVIT/CS/CP/001	SMVITM/CSE/CCP/MON001
23		AOCCHDNA2405867	SMVIT/CS/CP/019	SMVITM/CSE/CCP/MON007

The CPU cabinet contains not working / not repairable SMPS, MOTHERBOARD and HARD DISK.

Thanks & regards

[Signature]

Permitted to move
the above stock to
scrap. Also ~~remove data~~
from stock register.

[Signature]
21/6/2023

[Signature]

SHRI MOHINI DEVI
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwathans Nagar Gudup Dist.
BANTAKAL - 574 115

Date: 06.02.2023
Place: Bantakal

From
Suresh Rao U
System Analyst
SMVITM, Bantakal.

To
The Principal
SMVITM, Bantakal.

*To system Admin/heads/ste
Permitted to scrap the list of
following 14 items from the
stock.*
*9/23/2023
6/2/2023*

Respected Sir,

I request you to kindly give permission for removing the following not working CPUs from the stock register of respective departments.

The detailed list is as follows:

LIST OF SCRAP CPUS				
S.No.	Department	System S.No.	Sticker 1	Sticker 2
1	CSE	Zebronics	----	----
2		Zebronics	----	----
3		UDVALSI025C2335083	----	----
4		AWC42GT591A293621LE	----	----
5		UDVD9SI675D3085681	----	----
6		UDVALSI025C1539674	----	----
7		UDVALSI025C1539519	----	----
8		UDVALSI025C2335010	----	----
9		UDVALSI025C2334879	----	----
10		UDVALSI025C2335041	----	----
LIST OF SCRAP NETWORK SWITCHES				
1	CSE	S3051F3000368	CCC LAB	DLINK 48 PORT SWITCH
2	ME	F3E72A1000075	CAED LAB	DLINK 48 PORT SWITCH
SCRAP MONITORS				
1	CSE	7 MONITORS	CSE LABS	----
2	ME	1 MONITOR	CAED LAB	---

The CPU cabinet contains not working / not repairable SMPS, MOTHERBOARD and HARD DISK.

Thanks & regards

Suresh Rao U
System Analyst
Shri Madhwa Vadiraja Institute of
Technology & Management
Vishwothama Nagar
Bantakal - 574 115
Udupi District.

Principal
Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist.
BANTAKAL - 574 115

From CSE to ME (CAED) Lab

Date: 22.09.2022
Place: Bantakal

From
Suresh Rao U
System Analyst

To
The Principal,
SMVITM, Bantakal.

Through,
Head of the Department – Dept of CSE
SMVITM, Bantakal.

forwarded
@zulal22

Prof. T. H. H. S.
Dept. of Mechanical Engg.
SMVITM, Bantakal - 574 115

Dear Sir,

Sub: Transfer of 20 Computers with all its accessories to CAED Lab.

I request you approval for the transfer of following Twenty (20) desktop computers and related accessories from the department of CSE to the department of ME for the use of CAED Lab, main block, 1st floor.

S.No.	CPU
1	UDVALSIO25C2334923
2	AWC425T591A293595LE
3	AWC425T591A293593LE
4	SMVIT/CS/CP/030
5	UDVALSIO25C234934
6	AWC42GT591A293612LE
7	AWC42GT591A293629LE
8	AWC42GT591A293572LE
9	AWC42GT591A293565LE
10	AWK42GT640B268194IE
11	AWC42G2591A293639LE
12	AWC42GT591A293597LE
13	AWK42GT540B268167IE

P.TU

Princip

Principal

SHRI MADHWA VADIRAJA

INSTITUTE OF TECHNOLOGY & MANAGEMENT

Manjunath Nagar, Udupi Dist.

BANTAKAL - 574 115

14	AWC42GT591A293596LE
15	ZEBRONICS
16	AWC42G2591A293588LE
17	AWK42GT540B268171IE
18	UDVALSI025C23344929
19	AWC42GT591A293640LE
20	UDVD9SI675D3085739

Thanking you


Yours faithfully




Suresh Rao U.

System Analyst
 Shri Madhwa Vadiraja Institute of
 Technology & Management
 Vishwothama Nagar
 Bantakal - 574 115
 Udupi District.

Stock movement (both
 physical/office record) is
 accepted. Proceed.


 30/9/2022



Principal
 SHRI MADHWA VADIRAJA
 INSTITUTE OF TECHNOLOGY & MANAGEMENT
 Vishwothama Nagar Udupi Dist.
 BANTAKAL - 574 115

Date: 02.06.2022

Place: Bantakal

From
Suresh Rao U
System Analyst
SMVITM, Bantakal.

To
The Principal
SMVITM, Bantakal.

Respected Sir,

I request you to kindly give permission for removing the following not working devices from the stock register of respective departments.

The detailed list is as follows:

LIST OF SCRAP MONITORS				
S.No.	Department	LAB	Monitor S.No	Sticker
1	ME	-	MMLKRSS00330112A5C8506	SMVIT/ME/CP/099
2	ME	-	MMLKRSS00330112A328506	SMVIT/ME/CP/078
3	ME	-	MMLKRSS0033010A41F8506	SMVIT/ME/CP/038
4	ME	-	MMLKRSS00330112A898506	NO STICKER
5	ME	-	ETLEPOC11111409E8F404F	SMVIT/ME/CP/059
6	ME	-	MMLKRSS00330112CE48506	NO STICKER
7	ME	-	AOCCHDNA2405114	SMVIT/ME/CP/123
8	LIB	LIB	AOCCHDNA2405752	SMVIT/LB/CP/026
9	OFFICE	Vinayak	AOCCHDNA2404768	SMVIT/MT/CP/005
10	OFFICE	MAIN OFFICE	AOCCHDNA2406091	SMVIT/AO/CP/009
11	OFFICE	MAIN OFFICE	AOCCHDNA2406695	SMVIT/AO/CP/029
12	OFFICE	MAIN OFFICE	MMLQGSS0062127DB7B4201	SMVIT/AO/CP/003
13	CSE	-	AOCCHDNA2405228	SMVIT/CS/CP/061
14	ECE	VLSI	MMT3CSS001518024FA4200	SMVIT/EC/CP/064
15	ECE	VLSI	AOCCHDNA2404687	SMVIT/EC/CP/001
16	ECE	-	AOCCHDNA3601824	NO STICKER
LIST OF SCRAP - DLINK MANAGED SWITCHES				
1	CIVIL	CAD Lab	DGS-1210-52 S/N: S30S1G4000156	NO STICKER (48 PORT Managed switch)
2	ECE	ECE Lab	DGS-3120-48TC S/N: R3KF1CB000075	NO STICKER (48 PORT Managed switch)

[Signature]
Principal

SURI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vichwothanna Nagar, Udipi Dist.
BANTAKAL - 574 115

PC-SCRAP

10-5-7

3	CSE	CC-III Lab	DGS-1210-52 S/N: S30S1EC000027	NO STICKER (48 PORT Managed switch)
4	CSE	CC-V Lab	DGS-3120-48TC S/N: R3KF1C5000028	SMVIT/CS/EQ/110 (48 PORT Managed switch)
LIST OF SCRAP - EXTERNAL DVD DRIVE				
1	CSE	SERVER ROOM	ASUS Make - SDRW-08D2S-U	SMVIT/CS/CP/472

Thanks & regards

Surya

Approved
Prasanna
2/6/2022

Prasanna

Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist.
BANTAKAL - 574 115

Date: 25.03.2022
Place: Bantakal

From
Suresh Rao U
System Analyst

To
The Principal
SMVITM, Bantakal.

Through,
Head of the Department – Dept of CSE
SMVITM, Bantakal.

Forwarded
25/3/22

Dear Sir,
Sub: Transfer of 10 Computer with all its accessories to SVH School, Innanje.

I request you approval for the transfer of following TEN (10) desktop computers and related accessories to SVH school, Innanje.

S.No.	CPU	KEYBOARD	MOUSE	MONITOR
1	UDVALSI025C2335096	KB6880B04521404CDD0100	X78606603853	MMLQGSS0062127D6864201
2	AWK42GT540B268199IE	KB6880B04521401C290100	X78606603622	MMLQGSS0062127FE924201
3	UDVALSI025C2335103	KB6880B045214032760100	X78606603649	MMLQGSS0062127F9234201
4	UDVALSI025C2335031	C1005026389	X78606700890	MMLQGSS0062127FEE34201
5	UDVALSI025C2335100	KB6880B04514500BC40100	X66129202423	MMLQGSS0062127F9264201
6	UDVALSI025C2335099	DKPS21B02L25100F9FK800	X78606706218	MMLQGSS0062127F92B4201
7	AWK42GT540B268156IE	KB6880B045201049770100	X79555500491	MMLQGSS0062127D33F4201
8	UDVALSI025C2334957	C1005014066	X73308007305	MMLQGSS0062127DB844201
9	AWC42GT591A293602LE	C1005014111	X78606603642	MMLQGSS0062127F9244201
10	UDVALSI025C2334882	C1005021429	X78606706227	MMLQGSS0062137B7674201

Thanking you

Suresh Rao U
System Analyst
Shri Madhwa Vadiraja Institute of
Technology & Management
Vishwothama Nagar
Bantakal - 574 115
Udupi District.

Proceed
[Signature]
25/3/2022

[Signature]
Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist.
BANTAKAL - 574 115

Date: 14.03.2022

Place: Bantakal

From
Suresh Rao U
System Analyst
SMVITM, Bantakal.

To
The Principal
SMVITM, Bantakal.

Respected Sir,

I request you to kindly give permission for removing the following not working 24 (twenty four) CPUs, 1 (one) Monitor and 1 (one) 48 Port D-link switch from the stock register of respective departments.

The detailed list is as follows:

S.No.		CPU
1	Poornima	UXVJSSI089E2249835
2	Mahesh	UDVALSI025C1539533
3	Suma	UDVALSI025C2335069
4	Library	AWC42GT591A293617LE
5	Library	UDVD9SI675D3085671
6	Library	UXVJSSIF63F2772524
7	Chemistry	AWC42GT591A293594LE
8	CIVIL	UDVD9SI675D3085701
9	CIVIL	UDVD9SI675D3085693
10	CSE	D2
11	CSE	D3
12	CSE	UDVD9SI675D0585935
13	CSE	UDVD9SI675D3085764
14	CSE	UXVJSSI089E3389894
15	CSE	UDVD9SI675D3085700
16	CSE	AWC42GT591A293586LE
17	CSE	UXVJSSI089E3389895
18	CSE	UDVD9SI675D3085694
19	CSE	UDVD9SI675D3085760
20	CSE	UDVD9SI675D3085718
21	CSE	UDVD9SI675D3085722
22	CSE	UDVD9SI675D3085713


Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist.
BANTAKAL - 574 115

23	CSE	AWC42GT591A2935B0LE
24	ME	4CE8113ZVT
MONITOR		
1	CSE - CC III	MMLQGSS0062317B7E44201
DLINK 48 PORT SWITCH		
1	CSE	R3KF1C5000027

The CPU Cabinet contained not working / not repairable SMPS, Motherboard and Hard disk.

Thanks & regards

[Signature]
System Analyst
 Shri Madhwa Vadiraja Institute of
 Technology & Management
 Vishwothema Nagar
 Bantakal - 574 115
 Udupi District.

Permitted to move
 the above items to
 scrap. Also delete
 the stock details from
 the stock register.

[Signature]
 14/3/2022

[Signature]
 Principal
 SHRI MADHWA VADIRAJA
 INSTITUTE OF TECHNOLOGY & MANAGEMENT
 Vishwothema Nagar, Udupi Dist.
 BANTAKAL - 574 115

Date: 03.01.2022
Place: Bantakal

From
Suresh Rao U
System Analyst
SMVITM, Bantakal.

To
The Principal
SMVITM, Bantakal.

Respected Sir,

I request you to kindly give permission for removing the following not working CPUs from the stock register of respective departments.

The detailed list is as follows:

LIST OF SCRAP CPUS				
S.No.	Department	System S.No.	Sticker 1	Sticker 2
1	ECE <i>Scrap</i>	AWK42GT540B268212IE	SMVIT/EC/CP/026	SMVITM/ECE/LAB03/SYS015
2		AWK42GT540B268211IE	SMVIT/EC/CP/002	---
3		AWK42GT540B268162IE	SMVIT/EC/CP/008	---
4		AWK42GT540B268153IE	SMVIT/EC/CP/047	SMVITM/ECE/LAB03/SYS008
5		UXVJSSIF63F2315693	SMVIT/EC/CP/204	---
6		UXVJSSIF63F2315688	SMVIT/EC/CP/206	---
7		UXVJSSI089E2249744	SMVIT/EC/CP/146	---
8		UXVJSSIF63F2212938	SMVIT/EC/CP/198	---
9		UXVJSSIF63F2315676	SMVIT/EC/CP/177	---
10	MECH	----	SMVIT/ME/CP/097	---
11		UDVD9S1675D0585953.	SMVIT/ME/CP/060	---

} Scrap

Note: ECE dept -
S.No. 1 system cabinet exchanged to UXVJSSIF63F2315789.
S.No. 2 system cabinet exchanged to UXVJSSIF63F2769099.
S.No.3 system cabinet exchanged to UXVJSSIF63F2212892.
S.No. 4 system cabinet exchanged to UXVJSSI089E2249726.

The CPU cabinet contains not working / not repairable SMPS, MOTHERBOARD and HARD DISK.

Thanks & regards

Suresh Rao U
System Analyst
Shri Madhwa Vadiraja Institute of
Technology & Management
Vidyanagar
Bantakal - 574 115
Udupi Dist. Ud.

The items marked above
can be disposed as scrap
item.
Approved
3/1/2022

Principal
Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vidyanagar Nagar Udupi Dist.
BANTAKAL - 574 115

Date: 22.12.2021

Place: Bantakal

From
Suresh Rao U
System Analyst
SMVITM, Bantakal.

To
The Principal
SMVITM, Bantakal.

Respected Sir,

I request you to kindly give permission for removing the following not working Monitors from the stock register of respective departments.

The detailed list is as follows:

LIST OF SCRAP MONITORS				
S.No.	Department	LAB	Monitor S.No	Sticker
1	CIVIL	CAD	ETLX0W00211907DE14303	SMVIT/LB/CP/017
2	CIVIL	CAD	MMT3CSS00152704AF84200	NO STICKER
3	CIVIL	CAD	AOCWHF2D2652111	NO STICKER
4	CIVIL	CAD	MMT3CSS00152704B434200	NO STICKER
5	CIVIL	CAD	AOCWHF2D2651986	NO STICKER
6	CSE	CC V	AOCWHF2D2750038	NO STICKER
7	CSE	CC V	AOCWT62C2250259	NO STICKER
8	CSE	CC V	AOCWHF2D2651894	SMVIT/CS/CP
9	LIBRARY	LIBRARY	MMT3CSS001518025B14200	NO STICKER
10	MECH	CAED	ETLX0W00211907F724303	SMVIT/ME/CP144
11	MECH	CAED	ETLX0W00211907FBC4303	SMVIT/ME/CP/216
12	MECH	CAED	MMLKRSS00330112CE18506	NO STICKER

20 Monitors were sent for repair and 8 monitors' repaired, aforesaid 12 monitors were not repairable.

Thanks & regards

Suresh Rao U
System Analyst
Shri Madhwa Vadiraja Inst of
Technology & Maner
Vishwothama Nagar
Bantakal - 574 115
Udupi District.

Proceed to scrap the
monitors

Principat
Bantakal

Principat
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar Udupi Dist.
BANTAKAL - 574 115

Date: 17.09.2021

Place: Bantakal

From

Suresh Rao U

System Analyst

SMVITM, Bantakal.

To

The Principal

SMVITM, Bantakal.

Respected Sir,

I request you to kindly give permission for removing the following not working devices from the stock register of respective departments.

The detailed list is as follows:

CPU				
S.No.	DEPARTMENT	SYSTEM S.NO.	STICKER 1	STICKER 2
1	CSE	NO STICKER	SMVIT/CS/CP/447	NO STICKER
2		UDVD9SI675D3085757	SMVIT/CS/CP/144	NO STICKER
3		UDVD9SI675D3085678	SMVIT/CS/CP/159	NO STICKER
4		UDVD9SI675D3085751	SMVIT/CS/CP/165	NO STICKER
5		UDVALSI025C1539541	SMVIT/CS/CP/378	SMVITM/CSE/UNL/SYS019
6		UXVJSSI089E3392501	NO STICKER	NO STICKER
7		AWC42GT591A293636LE	SMVIT/CS/CP/069	SMVITM/CSE/CCP/SYS023
8		AWC42GT591A293606LE	SMVIT/CH/CP/005	NO STICKER
9		UDVD9SI675D0585958	SMVIT/CS/CP/456	NO STICKER
10		UDVD9SI675D3085733	SMVIT/CS/CP/225	NO STICKER
11		UDVD9SI675D0585919	NO STICKER	NO STICKER
12	MECH	UDVD9SI675D0585927	SMVIT/ME/CP/051	NO STICKER

Suresh Rao U

Principal

SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vijayothama Nagar, Udipi Dist.
BANTAKAL - 574 115

MONITOR				
S.No.	DEPARTMENT	SYSTEM S.NO.	STICKER 1	STICKER 2
1	ECE	MMT3CSS00152704B0E4200	SMVIT/EC/CP/199	NO STICKER
2	CSE	AOCWHF2D2651477	SMVIT/CS/CP/112	NO STICKER
3		AOCWHF2D2651824	NO STICKER	NO STICKER
4	SERVER ROOM	SOZ103000077	NO STICKER	NO STICKER
5	MECH	ETLXOW00211907D854303	SMVIT/ME/CP/014	NO STICKER
6	GIRLS HOSTEL	AOCCRDB3201171	NO STICKER	NO STICKER

The CPU cabinet contains not working / not repairable SMPS, MOTHERBOARD and HARD DISK.

Thanks & regards



(Suresh Rao U)

To

HODs - ECE, CSE, Mech
Hostel/office support

Permitted to push the
above irreparable items
to scrap. Kindly enter the
details in the stock register
also.


Anand


Anand
Principal
SRI M. DIPHA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vijaya Vittala Nagar, Udipi Dist.
BANGALURU - 574 119

Date: 03.08.2021

Place: Bantakal

From
Suresh Rao U
System Analyst
SMVITM, Bantakal.

To
The Principal
SMVITM, Bantakal.

Respected Sir,

I request you to kindly give permission for removing the following not working CPUs from the stock register of respective departments.

The detailed list is as follows:

LIST OF SCRAP CPUS				
S.No.	Department	System S.No.	Sticker 1	Sticker 2
1	Library	AWK42GT540B268184IE	SMVIT/LB/CP/019	----
2		AWK42GT540B268209IE	SMVIT/LB/CP/010	----
3		AWK42GT540B268217IE	SMVIT/LB/CP/022	----
4	ECE	AWK42GT540B268207IE	SMVIT/EC/CP/059	EC-065
5		AWK42GT540B268191IE	SMVIT/CS/CP/288	SMVITM/CSE/HAL/SYS030
6		AWK42GT540B268193IE	SMVIT/EC/CP/110	SMVITM/ECE/LAB4/SYS014
7	ENGLISH	AWK42GT540B268188IE	SMVIT/MT/CP/007	----
8	CSE - CCII	AWC42GT591A293626LE	SMVIT/CS/CP/063	SMVITM/CSE/CCP/SYS021
9		AWK42GT540B268142IE	SMVIT/CS/CP/345	SMVITM/CSE/HAL/SYS008
10	CSE - CCV	UDVD9SI675D3085689	SMVIT/CS/CP/240	----
11		UDVD9SI675D3085715	SMVIT/CS/CP/216	----
12		UDVD9SI675D3085714	SMVIT/CS/CP/249	----
13	CSE - CCIV	UDVD9SI675D3085759	SMVIT/CS/CP/153	----
14		UDVD9SI675D3085687	SMVIT/CS/CP/138	----
15		UDVD9SI675D3085717	SMVIT/CS/CP/111	----
16		UDVD9SI675D3085679	SMVIT/CS/CP/180	----

The CPU cabinet contains not working / not repairable SMPS, MOTHERBOARD and HARD DISK.

Thanks & regards

Suresh Rao U
System Analyst
Shri Madhwa Vadiraja Institute of
Technology & Management
Vishwothama Nagar
Bantakal - 574 115
Udupi District.

Pro opinion of HoD - CSE
After utilizing useful components
from the above systems, the CPUs
can be dumped for the scrap.

Princip
3/8/2021
Permitted to
scrap the above
systems.

Princip

Princip

Princip

From
Suresh Rao U
System Analyst
SMVITM, Bantakal.

To
The Principal
SMVITM
Bantakal.

Respected Sir,

SUBJECT: REQUEST TO ~~SEND~~ APPROVE NOT WORKING MONITORS TO DEPARTMENT SCRAP - 10 Nos.

We have given 25 monitors to repair, out of which 15 has been repaired and 10 monitors not repairable. So, I kindly request you to give permission to send the not working monitors to their respected department scrap.

Not working monitors with department name

ECE

MMT3CSS001518024FA4200

CSE - CC1

AOCCHDNA2405717
AOCCHDNA2406703
AOCCHDNA2405143
AOCCHDNA2405719
AOCCHDNA2404300
AOCCHDNA2405786
AOCCHDNA2404786

CSE - CC2

ETLKROD0020270A1288500

CSE - CC5

AOCWHF2E2654799

Thanking you


Yours faithfully



System Analyst
Shri Madhwa Vadiraja Institute of
Technology & Management,
Vishwothama Nagar
Bantakal - 574 115
Udupi District.

Dept Ho Ds

Since the monitors (total 10 nos)
are irreparable, you are
permitted to put them to scrap.
Kindly write off the stock details
in the stock registers.


3/2/2021



Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist.
BANTAKAL - 574 115

Date: 26 Dec 2016

Place: Bantakal.

The Principal,
SMVITM, Bantakal

Through
Head of the Department – Dept. of CSE
SMVITM, Bantakal.

[Handwritten signature]

Dear Sir,

Sub: Transfer of PC and other related accessories to Innanje School

The following Desktop computers and related accessories have been transferred to Innanje PU College and High School. Accordingly the stock register has been updated.

Sl. No	Items Transferred	Make	Serial Number	Date of Transfer
1	CPU	ACER	UXVJ55IF63F2212963	26.12.2016
2	DVD – RW	LG	304HDDM104650	26.12.2016
3	MONITOR	ACER	AOCWHF2E3257152	26.12.2016
4	KEYBOARD	ACER	DKUSB1P03L505003B3K701	26.12.2016
5	MOUSE	ACER	DC1121100N451000DEK701	26.12.2016

This is for your information and records.

Thanking you,

[Handwritten signature]
Suresh K U
System Analyst, Server Room, SMVITM

System Analyst
Shri Madhwa Vadiraja Institute of
Technology & Management
Vishwothama Nagar
Bantakal - 574 115
Udupi District.

Accepted

[Handwritten signature]
26.12.16
Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist.
BANTAKAL - 574 115

[Handwritten signature]
Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist.
BANTAKAL - 574 115

To
The Principal,
SVS PU College, Innanje

Dear Sir,

Sub: Transfer of computers and accessories from SMVITM


The following Desktop computers and related accessories have been transferred to Innanje PU College and High School from SMVITM, Bantakal. Please acknowledge the receipt of the same.


Sl. No	Items Transferred	Make	Serial Number	Date of Transfer
1	CPU	ACER	UXVJSSIF63F2212963	26.12.2016
2	DVD - RW	LG	304HDDM104650	26.12.2016
3	MONITOR	ACER	AOCWHF2E3257152	26.12.2016
4	KEYBOARD	ACER	DKUSB1P03L505003B3K701	26.12.2016
5	MOUSE	ACER	DC1121100N451000DEK701	26.12.2016

Thanking you,


System Analyst
Shri Madhwa Vadiraja Institute of
Technology & Management
Vishwothama Nagar
Bantakal - 574 115
Udupi District

Received


ಹಿರಿಯ ಸಹಕಾರಿ
ಯು.ಪಿ.ಎಚ್, ಪದವಿ ಪೂರ್ವ ಕಾಲೇಜು
ವೃತ್ತ ಕಾಲಾ ವಿಭಾಗ
ಇನ್ಜಾನ್-576122, ಉಡುಪಿ ಜಿಲ್ಲೆ.


Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist
BANTAKAL - 574 115

To
The Principal,
SVS PU College, Innanje


Dear Sir,


Sub: Transfer of FIVE CPU from SMVITM

The following Desktop computers have been transferred to Innanje PU College and High School from SMVITM, Bantakal. Please acknowledge the receipt of the same.

Sl. No	Items Transferred	Make	Serial Number	Date of Transfer
1	CPU	ACER	AWK42GT540B268165IE	23.09.2016
2	CPU	ACER	AWK42GT540B268213IE	23.09.2016
3	CPU	ACER	AWC42GT591A293604LE	23.09.2016
4	CPU	ACER	AWC42GT591A293619LE	23.09.2016
5	CPU	ACER	AWC42GT591A293577LE	23.09.2016

Thanking you,


System Analyst
Shri Madhwa Vadiraja Institute of
Technology & Management
Vishwothama Nagar
Bantakal - 574 115
Udupi District.



Principal
S.V.H. Pre University College
Vishwendranagara
INNANJE - 576 122, Udupi Dist.


Principal
SHRI MADHWA VADIRAJA
INSTITUTE OF TECHNOLOGY & MANAGEMENT
Vishwothama Nagar, Udupi Dist.
BANTAKAL - 574 115